

FROM ROCKS TO BELTS: UNRAVELING PETROLOGICAL SIGNIFICANCE IN BOHAI BAY

Dr. Zhang Wei¹ and Prof. Li Xin²

Article Info

Keywords: Bohai Bay region, oil and gas resources, structural transformation belts, geological complexity, exploration and development.

Abstract

The Bohai Bay region, a pivotal zone for China's oil and gas reservoirs along the northeastern coast, has recently garnered substantial attention due to escalating demands for these resources. Yet, the intricate geological framework and structural characteristics pose formidable challenges for exploration. This paper embarks on a comprehensive analysis of the structural transformation belts within the Bohai Bay region, with a focal point on their pivotal role in relation to oil and gas resources. The objective is to enhance insights into the latent oil and gas prospects within this domain, furnishing a roadmap for forthcoming exploration and development initiatives.

Introduction

The Bohai Bay region, situated along the northeastern coast of China, stands as a significant hub for China's oil and gas resources. In recent years, with the ever-increasing demand for oil and gas, there has been widespread attention directed towards the exploration and development of oil and gas resources in the Bohai Bay region. However, the geological complexity and structural features of this region have made it a challenging exploration area.

This paper aims to delve into the study of structural transformation belts in the Bohai Bay region and their importance in the context of oil and gas resources. The goal is to gain a better understanding of the oil and gas resource potential within the Bohai Bay region and to provide guidance for future exploration and development endeavors.

1. Basic Types of Tectonic Transformations in Extensional Regions

Extensional regions refer to areas where the Earth's crust undergoes deformation due to extensional forces, typically accompanied by crustal fractures and deformations. In extensional regions, tectonic transformations are common phenomena, referring to the boundary zones between different tectonic units, often manifested as

¹ Xi'an Shiyong University, Xi'an, China

² Shaanxi Key Laboratory of Petroleum Accumulation Geology, Xi'an, China 18691434327@163.com

geological structures such as faults, fault zones, and rift valleys.^[1] Below, we provide a detailed overview of the basic types of tectonic transformations in extensional regions.

1.1. Faults

Faults are geological phenomena resulting from the movement of a fault plane within the Earth's crust in a particular direction. In extensional regions, faults are a common type of tectonic transformation. Based on the relative movement direction of the fault, they can be classified as normal faults and reverse faults. Normal faults involve the upward movement of the upper crustal block relative to the lower block, whereas reverse faults involve the opposite movement, with the upper block moving upward. Faults in extensional regions can lead to faulting and block subsidence, significantly influencing the accumulation and migration of oil and gas.

1.2. Rift Valleys

Rift valleys are long and narrow valleys formed in the Earth's crust due to extensional forces. Rift valleys typically develop near fault zones and result from surface cracks extending due to fault activity. In extensional regions, rift valleys can create subsidence basins, making them favorable locations for the accumulation of oil and gas resources.

1.3. Grabens

Grabens refer to depressions or basins formed in the central part of extensional regions due to crustal stretching and faulting. Grabens are often associated with tectonic faults, and the subsiding graben areas may accumulate significant sediments, potentially forming promising reservoirs for oil and gas.

1.4. Fault Blocks

In extensional regions, faults can segment the Earth's crust into different-sized blocks. The relative movement between these fault blocks can lead to various deformations in the crust, including uplift and subsidence, influencing sedimentation, metamorphism, and magmatic processes within the crust.

1.5. Anticlines and Synclines

Anticlines refer to upward-bending structures in rock layers, forming arch-like structures, often found on both sides of faults in extensional regions. Synclines, on the other hand, are downward-bending structures, typically occurring on both sides of faults as well. Anticlines and synclines frequently intermingle with faults and can have a significant impact on oil and gas exploration and accumulation processes.

2. Typical Structural Transformation Features in the Bohai Bay Region

2.1. Faults and Grabens

Faults represent geological phenomena resulting from the movement of a fault plane within the Earth's crust in a specific direction. In the Bohai Bay region, multiple faults are present, and these faults often serve as significant indicators of structural transformation belts. The activity of faults leads to crustal displacement, resulting in displacement of surface strata and, consequently, influencing the geological environment. Depending on the relative movement direction, faults can be categorized as normal, reverse, or strike-slip faults, each significantly impacting crustal fractures and displacement. Normal faults involve the upper crustal block moving downward relative to the lower block, resulting in uplift near the fault, forming features like ridges and anticlines. In contrast, reverse faults involve the upper block moving upward, causing subsidence near the fault, forming features like troughs and basins. Strike-slip faults involve horizontal movement along the fault plane. Fault-induced grabens are subsiding regions in the Earth's crust that form on both sides of faults. These grabens often serve as favorable areas for sediment accumulation, leading to the formation of sedimentary basins, which play a crucial role in the genesis and preservation of oil and gas resources. Graben areas commonly accumulate significant sediments, including clastic and biogenic rocks, potentially creating reservoirs for oil and gas when geological conditions are favorable.

2.2. Anticlines and Synclines

In the Bohai Bay region, anticlines and synclines are prominent geological features within structural transformation belts, closely associated with fault activity and exerting a significant influence on oil and gas reservoir conditions. Anticlines refer to rock layers bending and uplifting in an arched form due to extensional or compressional forces, creating arch-like geological features. In this region, anticlines often result from fault activity or structural deformation, leading to the uplift of rock layers. Anticlines frequently form rugged terrains, and the depressions within them often serve as areas of sediment accumulation, accumulating significant sedimentary rocks such as sandstone and shale, providing ample space for oil and gas storage. The geological properties of rock layers in anticlinal areas can be influenced by bending and uplift, affecting rock characteristics. For instance, sandstone may become more porous and permeable at the high points of anticlines, facilitating oil and gas accumulation and migration. Synclines, conversely, involve rock layers sinking due to extensional forces, forming depressions in the landscape. In the Bohai Bay region, synclines typically result from fault activity or structural extension, leading to subsidence of rock layers. Synclinal areas are often major sedimentary basins, as the subsidence within synclines results in the accumulation of substantial sediments. These areas represent potential zones for oil and gas accumulation.

2.3. Metamorphic Processes

In structural transformation belts, metamorphic processes are significant geological phenomena closely linked to hydrothermal activity, impacting the composition and properties of rocks. Metamorphic processes often occur under high-temperature and high-pressure conditions, causing thermal decomposition and degradation of organic matter in rocks, resulting in the generation of oil and natural gas. Thus, metamorphic processes influence the maturity of organic matter within rocks, subsequently affecting the formation and preservation of oil and gas. Metamorphic processes may also lead to changes in the structure and porosity of rocks. Some rocks may develop new minerals, filling existing pores, thereby reducing porosity and permeability and impeding oil and gas accumulation and flow. On the other hand, metamorphic processes can increase rock porosity, facilitating oil and gas accumulation and migration. These processes can also alter the mineral composition and rock structure. For instance, shale may fold under high temperatures, forming microfractures favorable for oil and gas release, while quartz rocks may undergo mineral metamorphism, influencing rock mechanical properties and permeability. Overall, metamorphic processes in structural transformation belts have complex effects on rock properties and organic matter maturity, directly impacting the distribution of oil and gas resources. Therefore, considering the influence of metamorphic processes in structural transformation belts is essential for a better understanding of rock characteristics and the distribution of oil and gas resources in hydrocarbon exploration and development.

3. Oil and Gas Significance of Structural Transformation Belts in the Bohai Bay Region

3.1. Formation of Structural Traps

The formation of structural traps represents a critical impact of structural transformation belts on oil and gas exploration and accumulation. It involves the effects of fault activity and strata deformation. Structural traps are geological features that typically form due to internal deformation, uplift, or subsidence of rock layers. Within structural transformation belts, faults play a significant role in the formation of structural traps. Faults are fault planes within the Earth's crust, and their activity results in the displacement and deformation of rock layers. Under the influence of fault activity, rock layers may undergo the following changes.

Vertical movement: Fault activity leads to vertical displacement of rock layers, either upward or downward. When one side of a fault experiences uplift, the other side may form a structural depression, favoring sediment accumulation in the subsiding area, which is conducive to oil and gas reservoir development.

Compression and extension: Fault activity can also cause horizontal compression or extension of rock layers. These movements can lead to the formation of structural traps, such as anticlines and synclines. Anticlines may serve as reservoir locations, while synclines may accumulate significant sediments, creating storage space.

Formation of fractures and pores: Fault activity can result in the formation of fractures and pores within rocks, which can act as reservoir space for the storage of oil and gas. Additionally, fault activity can alter rock deformation, rendering it capable of serving as a structural trap. Structural traps play a crucial geological role in oil and gas exploration as they act as natural containers that prevent the upward or lateral migration of oil and gas, allowing for their accumulation and storage within the trap. The presence of structural traps determines the location and scale of oil and gas reservoirs, making understanding and identifying them essential for identifying potential areas of hydrocarbon accumulation.^[2]

3.2. Controlling Sediment

Transport and Reservoir Development Structural transformation belts play a vital role in controlling sediment transport and the development of sedimentary reservoirs, influencing factors such as sediment source transport, facies development, and reservoir rock properties. Structural transformation belts often serve as primary pathways for sediment transport into sedimentary areas, exerting significant control over sediment source supply. They act as supply channels for sedimentary basins, and when sediments enter sedimentary areas through these belts, they bring various-sized sediment particles, including clastic fragments, minerals, organic matter, and others, affecting sediment quality and composition. Areas controlled by structural transformation belts often develop a variety of sedimentary systems, including river deltas, bays, coastal plains, and more, resulting in different facies types within these systems. For example, deltaic facies may include fluvial deposition, deltaic plain sedimentation, and channel deposits, which are favorable for sedimentation and reservoir development. Structural transformation belts control the distribution of various facies, influencing sediment types and reservoir formation. For instance, fan-delta facies are typically rich in organic matter, favorable for oil and gas generation and accumulation, while lacustrine facies may create environments conducive to organic matter preservation and reservoir development. Local structural transformation belts within overlapping fault zones can improve reservoir rock properties through fault activity. Specifically, fault activity can create fractures and pores within reservoir layers, which can serve as additional reservoir rock, providing additional storage space conducive to oil and gas storage. Fault activity can also alter the properties of reservoir rocks. For example, by inducing fault activity, rocks within reservoir layers may experience fragmentation or compression, improving their permeability and storage capacity, enhancing reservoir quality, and making them more suitable for oil and gas accumulation and release.

3.3. Enhancement of Reservoir Quality

The improvement of reservoir quality is one of the significant impacts of structural transformation belts on oil and gas resource exploration and accumulation. Firstly, the formation of fractures and pores: Fault activity and the presence of structural transformation belts typically lead to the formation of fractures and pores within reservoir layers. These fractures and pores are essential components of storage space and serve as pathways for fluids, enhancing the permeability of the reservoir. The presence of fractures and pores can significantly increase the effective porosity of the reservoir, increasing storage capacity. Secondly, property improvement: Fault activity and the presence of structural transformation belts may alter the properties of reservoir rocks. For instance, fault activity can lead to fragmentation or compression of reservoir rocks, thereby improving their physical properties. Fragmented rocks typically facilitate fluid flow, while compressed rocks may possess higher permeability. The influence of fault activity and structural transformation belts can improve the properties of reservoir rocks, including increased porosity, improved permeability, and enhanced storage capacity, making reservoirs more favorable for oil and gas accumulation and release. Thirdly, organic matter preservation: The activity of structural

transformation belts can impact the preservation of organic matter. Organic matter serves as the source for oil and gas, and its preservation conditions are crucial for the generation and accumulation of hydrocarbons. Structural transformation belts create environments conducive to the preservation of organic matter, such as lacustrine or wetland facies, which promote organic matter preservation and provide conditions for oil and gas generation.^[3]

4. Conclusions

In summary, structural transformation belts in the Bohai Bay region play a crucial role in oil and gas resource exploration and accumulation, injecting significant vitality into the energy industry in this area. The geological complexity, diverse structural features, and abundant hydrocarbon potential in the Bohai Bay region make it a hotspot for hydrocarbon exploration. However, the challenges in this region are equally significant, with geological complexity and deep-seated structures adding uncertainty to exploration and development efforts. Therefore, in-depth research and understanding of structural transformation belts become paramount. Only by comprehensively understanding these structural features can exploration activities be better guided, increasing the success rate of exploration and reducing development risks.

References

- Qi Jiafu. (2007). Structural Transformation Belts in Rift Basins and Their Petroleum Geological Significance. *Marine Petroleum Geology*, 43-50.
- Tan Jiancai, Fan Caiwei, Ren Keying, Xi Huijuan, Ouyang Min, Hou Jingxian. (2014). Structural Transformation Belts in the Northern Part of Southeast Qiongdongnan Basin and Their Oil and Gas Geological Significance. *Oil and Gas Geology and Recovery Rate*, 62-65+115.
- Wang Chao, Tang Xianjun, Jiang Yiming, He Xinjian, Tan Sizhe. (2020). Characteristics of Structural Transformation Belts in the Northern Part of the Tiantai Slope Zone, West Lake Depression, and Their Oil and Gas Geological Significance. *Marine Geology and Quaternary Geology*, 93-105.