

PEDESTRIAN DECISION-MAKING IN RWANDA'S URBAN LANDSCAPE: A CROSS-CULTURAL EXPLORATION OF TRAFFIC BEHAVIOR AND RISK

Dr. Jean-Pierre Niyonzima¹

Article Info

Keywords: Pedestrian mobility, Road safety, Pedestrian challenges, Urban infrastructure, Pedestrian overpasses, Kigali City.

Abstract

This study investigates and evaluates the challenges faced by pedestrians in the City of Kigali, focusing on issues affecting their mobility and safety. Utilizing a qualitative research methodology with structured and unobtrusive data collection techniques, the research reveals significant obstacles in the urban environment. The findings highlight that pedestrian mobility remains inadequate, with notable issues including the lack of pedestrian-friendly infrastructure, insufficient road signage, limited information on pedestrian behavior, and the suboptimal performance of existing traffic signals. Furthermore, the study underscores the pressing challenges of road crossings and the absence of proper footpaths, zebra crossings, and shelter facilities at bus stops.

One of the most critical findings of this study is the inadequacy of pedestrian safety measures, such as traffic signal designs and the provision of walkways. High vehicle speeds further exacerbate the difficulties pedestrians face in freely navigating the city. The study also emphasizes the need to address the mobility concerns of disabled individuals and advocates for the introduction of pedestrian overpass bridges in congested areas of Nyabugogo, Kicukiro Sonatube, and Remera Giporoso within the City of Kigali.

This research offers a unique contribution to both theory and practice by promoting pedestrian safety through the implementation of traffic lights to alert drivers and advocating for the introduction of pedestrian overpasses in high-traffic zones. These initiatives aim to reduce pedestrian fatalities and enhance the overall mobility experience in Kigali. The findings of this study have the potential to inform policy decisions aimed at improving the safety and mobility of pedestrians in urban environments.

¹ Department of Civil Environment and Geomatics Engineering, School of Engineering, College of Science and Technology, University of Rwanda

INTRODUCTION

The growth of the City should be hand in hand with the development of the transportation facilities for easing the movement of people and goods from each part of the City. According to the Kigali City Master plan 2013 the road network in the City were supposed to be developed to fully meet the requirements of a modern City that is promoting the higher quality of life for its residents.

The City of Kigali is actually doing good to improve the existing road networks in various projects specifically in a project termed as Kigali Urban Road Upgrading Project of 54.56 Km where widening and traffic management by means of roundabout and traffic lights have been implemented since 2016 till now. It is therefore important to upgrade the and revitalizes existing major master plan road networks for vehicles but surprisingly very little has been implemented for the City pedestrian in the matter of their crossing facilities.

This paper sought to examine the constraints faced by the Kigali City pedestrians on the road networks around the City at various critical locations mostly characterized by the accidents at Nyabugogo, Remera and City Center roads. The study was carried to identify the possible mobility challenges and establish technical proposals to overcome the matter for the safety of residents.

LITERATURE REVIEW

According to Peter Wright (2012), the pedestrian safety should be promoted by awakening both pedestrians and drivers about the importance of acting safely in all traffic environments by using and providing pedestrians' facilities appropriately.

Tiwari and Chatterjee (2013) observed that pedestrians on Delhi roads are often exposed to high risks. This is because the basic needs of pedestrians are not recognized as a part of the urban transport infrastructure improvement projects in India. Also Dulaski and Liu (2013) discussed that the interaction between the pedestrian and vehicular driver at unsignalized mid-block locations when pedestrian is waiting at curb and stepping off the curb, the driver yield behavior is more when the pedestrian steps off from the curb and it is more during morning peak hours. However, Charles, (2010) said that the best way of teaching the pedestrians how to use road is to using communication designs and this can facilitate their mobility. Dyaz (2002) highlighted that there is less likely risk to cross a roadway in the presence of motor vehicles in an urban area than rural area due to different design speeds.

Holland and Hill (2010) collected adult pedestrian accident data which demonstrated that the risk of being killed or seriously injured varies with age and gender. With increasing age, women were shown to make more unsafe mobility like crossing decisions, to leave small safety margins and to become poorer at estimating their walking speed. However, the age effects on all of these were ameliorated by driving experience. Men differed from women in that age was not a major factor in predicting unsafe pedestrians' mobility.

Zhuang and Wu (2011) studied that pedestrian's mobility, crossing out of crosswalks (unmarked roadway) and those crosswalks contributed much to traffic accidents, so the safety of pedestrians would be more in danger if not provided.

Granie and Brenac (2014) wrote about pedestrian behavior of being strongly dependent on biological gender, and it has also been found to depend on the psychological masculinity of an individual. Pedestrian speeds are also significantly related to pedestrian age, and the speeds of pedestrians are slower as they get older. Pedestrians especially oldest one continues to develop their physical, cognitive and psychosocial abilities to cross road (Lim, 2008).

According to Satish Chandra and Rajat Rastogi (2014), Consideration of the safety aspect is recommended for design of crossing facilities like signal at locations where female or old pedestrians are substantial to cross.

METHODOLOGY

This paper analyzed the problems faced by pedestrians in the City of Kigali, looked at their needs, existing infrastructure to facilitate them and adequate measures that would be taken to improve their mobility and safety. The methodology of this paper was designed based on the qualitative methods (Groat & Wang, 2002; Neuman, 2006) with application of observation technique specifically the structured observation (Miller, et al., 2004; Marshall & Rossman, 2006; Tafahomi & Nadi, 2016) and the unobtrusive (Bonnes & Bonaiuto, 2002; Tafahomi & Nadi, 2020), which applied in the urban spaces and in a sensitive areas to study human behaviors. The descriptive approach was selected to explain the observation through storytelling (Groat & Wang, 2002) and then analysis based on the collected for a period of three months.

The methodology adopted to conduct this research was descriptive research design by field observations on the selected road networks of the City of Kigali selected randomly within three Districts of Nyarugenge, Kicukiro and Gasabo .A field data collection and checking of six working days including Saturdays for the entire period of three months was used for the whole selected road samples where some forms were developed and filled accordingly.

The Primary data included the field data collection for pedestrian spot point's prone areas to accidents, crossing Location without facilities identified and interview to experts and some pedestrians to get their views. The following are pedestrian needs parameters that were assessed and include the Crosswalks (Zebra crossings and over bridges), Sidewalks (Paved ways and over bridges), Warning marks, Shelters, Road Visibility, Density of pedestrians, Traffic lights.

RESULTS

From data collection the following were pedestrian needs that were assessed and included Crosswalks (Zebra crossings and over bridges), sidewalks (Paved ways and over bridges), Warning marks, buses shelters, Road Visibility, Density of pedestrians, Traffic lights availability. Also the existing facilities were noted down for further comparison. **Table 1: List of Assessed Roads within the City of Kigali**

S/N	Name of Assessed Roads	S/N	Name of Assessed Roads
1	City center (KN1– Remera [KN3Rd]	10	Mukanogo – Nyabugogo [KN7Rd]
2	Remera – Kabeza – Rubirizi [KK18Ave]	11	Nyabugogo Taxi Park – Gitikinyoni
3	Kigali Convention center – City center [KN5Rd]	12	Zindiro – Chez Lando
4	Kigali City center Nyamirambo [KN2Ave]	13	Kigali Convention Centre – Nyabugogo [KG7Ave], [KN8Ave]
5	Nyamirambo – Nyarurama [KN9Ave]	14	Sonatube – Kicukiro Nyanza Park [KN15Rd]
6	Nyamirambo – Nyabugogo [KN20Ave]	15	Rwandex – Kicukiro Center [KK8Ave]
7	KN1 Roundabout – Nyabugogo [KN1Rd]	16	Kimironko Taxi Park – RBC & Airtel Rwanda Head Quarter [KG17Ave]
8	Remera – Kimironko	17	Remera – Murindi [KK3Rd]
9	Kigali City Center roads	18	Kanogo- Gikondo [KK2Ave], [KK4Ave]

Zebra Crossing Facilities




Figure 2: Comparison between Available and Needed Pedestrian Crossing facilities

Traffic Lighting Facilities




Figure 3: Comparison between Available and Needed Traffic Lighting Facilities

Pedestrian Bridge Facilities




Figure 4: Comparison between Available and Needed Pedestrian Bridge Facilities **Warning Signs Facilities**




Figure 5: Comparison between Available and Needed Warning signs Facilities **Pedestrian Buses Shelter Facilities**




Figure 6: Comparison between Available and Needed pedestrian buses shelter facilities **Pedestrian Pathways Facilities**




Figure 7: Comparison between Available and Needed Pedestrian Pathways Facilities **Pedestrian Public Stairs Facilities**




Figure 8: Comparison between Available and Needed Pedestrian Public Stairs Facilities

Discussion Zebra Crossing Facilities

From the field assessment on 18 visited road network, it was found that almost of the needed crossing for pedestrians are missing and this is dangerous to the crossing people.

The figure 9 below shows that only 50% of the required crossing is available.




Figure 9: The Available Crossing Vs the Existing



Figure 10: Some of the Existing Crossing without Zebra Painting and Threat to Pedestrians

Traffic Lighting Facilities

Also from the field assessment on 18 visited road network, it was found that almost of the needed traffic lighting to facilitate pedestrians while crossing at junctions only 9 available out of 19 needed were installed and some of them are not functioning and needs repairs. The results found that only 46% of the required lighting is available and this is alarming.

Pedestrian Bridges (Overpass)

During the assessment of pedestrian needs facilities in this paper, it was found that they are needed for some places like at KN1 Round About to Nyabugogo (KN8Ave & KN1Rd) Network as an alternative of Zebra crossings, at KK2Ave & KN68St on the leveled side as an alternative to the zebra crossing for they are located in danger zone.

Warnings Signs Facilities

Warning signs are still very low on the road networks visited and it was found that almost 47% of the required are yet installed and this needs to be a priority so as to help pedestrians to escape from any road danger about their safety.



Figure 11: Zebra Crossing without a Warning Sign (Left Hand Photo) On KG17Ave Road and Difficult/Unsafe Crossing at KN11Ave, Kimironko to Chez Lando (Right Hand Photo).

Pedestrian Bus Shelters

Those facilities are related to the bus stops; they are sometimes ignored during pedestrian facilities designs but they are needed for pedestrians' health for sun radiation and rainfall.

Sunrays and rainfalls are the natural phenomena that pedestrians can't escape while he or she is using road for daily base activities or trip. It was found that generally out of the required around 35% are constructed and operational. Still a large number is to be added as soon as possible. The figure below illustrates some of the road networks lacking shelters for pedestrians.



Figure 12: Bus Stop without Pedestrian Shelter on KN501St

Pedestrian Pathways

Those facilities are mostly occurring beside the curved road or near the network from one sidewalk to another. They reduce the density of pedestrians near the networks and provide a comfort passage of pedestrians.

They may be implemented where there is such possibility, but better if they are relatives to the Zebra crossings. The paper found that around 67% of the required pedestrian pathways are built but still some of the road does not provide them and this is an encouraging indicator that in the near future the coverage is possible. Apart from the pedestrians pathways the escaping island are also useful for lanes separation and also for pedestrians to refresh while waiting for motor drivers to give a free way for him or her. They may be implemented in T-networks or junctions, on a wider crossover networks.



Figure 12 : Escape Island on a Network of KG7Ave & KG544St

Public Stairs Facilities

From the results, it was found that 48.5% of the required stair case facilities are provided and some are missing. Stairs which give pedestrians access to the roads need to have slip but rough staircase with a limited angle of elevation which is adequate to each persons with disability.



Figure 13: A Stair Case on KNIRd Built Recently in 2019

Other General Mobility Findings

In the City of Kigali specifically the free car zone in Nyarugenge District ,pedestrians are freely to move , doing what they want to do in this zone, and the zone like this are much needed in other districts in of the City.

Grade-separation of crossings is another excellent way to eliminate conflict between vulnerable road users and vehicles, but throughout the City, these infrastructures are not yet thought of and must be encouraged in the near future for vey clouded zones of Nyabugogo, Remera Giporoso and Sonatube round about area.

Lastly, it was observed that many of the pedestrians cross road network facilities by talking on their phone and this can reduce their level of safety control themselves. Every pedestrian should also know more about road safety to reduce the accidents and can be helped by display of road safety notices along and around the city where pedestrians are more likely to cross.

Conclusion

Firstly, the paper looked on major pedestrians' challenges in The City of Kigali and found that according to the chronological order of gravity for facilities, it is the traffic lighting facilities as the first challenge for mobility, secondly it is the inadequate number of and places of zebra crossing facilities, thirdly it is the lack of enough warning signs and fourthly it is the inadequate pathways associated to shelters for pedestrians.

For better sustainability of the safety to add on traffic signs and road markings and signs, there is a need to increase the driver's awareness about the unusual road geometric parameters susceptible to trigger accidents such as sharp curves, locations of a high sequence of curves, high gradients and change of lane widths so as to reduce accidents is to be thought of because Kigali is a mountainous City with hills and Valleys with high gradients.

This paper also suggested maintaining pedestrian's safety by using the traffic lights to warn the drivers to be aware of the pedestrians' safety and to think of how the implementation of the pedestrian overpass can be introduced in the City where more a great number of pedestrians crossing the road reduced to be killed in the accident.

REFERENCES

Ahmad, Abdullah & Mahesh, Srinath & Rastogi, Rajat. (2014). Selection of Roundabout Entry Capacity Model for Indian Condition. Urban Transport Journal. 13. 79-87.

Bonnes, M. & Bonaiuto, M., 2002. Environmental Psychology: From Spatial-Physical

Environment to Sustainable Development. In: R. B. BECHTEL & A. CHURCHMAN, eds. HANDBOOK OF ENVIRONMENTAL PSYCHOLOGY.

New York: John Wiley & Sons, Inc., pp. 28-54.

Charles (2010), Best way of teaching pedestrians, how to use road is to use communication design, from Rwanda Today: <http://focus.rw> .

Dulaski, D.M.; Liu, Y. (2013). Stepping off the Curb to Increase Drivers. Yielding Behavior at Mid-block Crosswalks. In Proceedings of the 92nd Transportation Research Board Annual meeting, Washington D.C., 1-13.

Dý'az, E.M., (2002). Theory of planned behavior and pedestrians' intentions to violate traffic regulations. Transportation Research Part F: Traffic Psychology and Behavior 5 (3), 169-175.

Groat, L. & Wang, D., 2002. Architectural Research Methods. New York: John Wiley & Sons INC.

Granie, M.A., Brenac, T., Montel, M.C., et al., (2014). Influence of built environment on pedestrian's crossing decision. Accident Analysis & Prevention 67 (1), 75-85.

Holland, Carol, Hill, Ross (2010) .Gender differences in factors predicting unsafe crossing decisions in adult pedestrians across the lifespan: A simulation study., Accident Analysis & Prevention, 42(4), 1097- 1106.

Lim, E. (2008). Teaching Children to Walk Safely as They Grow and Develop:. media, b. (n.d). understanding logo design. bahrain.

Mariya Khatoon, Geetam Tiwari, Niladri Chatterjee, (2013). Binary Probabilistic Models for Pedestrians. Crossing Behavior and Risk at the Free Left Turn: Delhi, India. Proceedings of the Eastern Asia Society for Transportation Studies, Vol.9, 2013.

Marshall, C. & Rossman, G. B., 2006. (2006) Designing Qualitative Research. New York: SAGE Publications.

Miller, G., Dingwall, R. & Morphy, E., 2004. Using Qualitative Data and Analysis. In D. Silverman, Qualitative Research: Theory, Method, and Practice (2nd ed., pp. 325-341). London: Sage Publications.

Neuman, L. W., 2006. Social Research Methods: Qualitative and Quantitative Approaches. New York: Pearson Education.

Tafahomi, R. & Nadi, R., 2016. Dehistoricisation the Urban Landscape through Transition of the Enclosure Ratio in Urban Fabric of Gonabad City in Iran. J Archit Eng Tech, Volume 5(Issue 2), pp. 1-6.

Tafahomi, R. & Nadi, R., 2020. Derivation of a Design Solution for the Conservation of a Historical Payab in the Redevelopment of Doloeei, Gonabad. International Journal of Built Environment and Sustainability, 7(1), pp. 1-9.

Peter Wright (2012), Advertising best tool in communication to promote pedestrians safety Dublin: Global Road Safety Partnership.

Zhuang and Wu (2011) Pedestrians. crossing behaviors and safety at unmarked roadway in China Accident Analysis and Prevention, 43 (6) (2011), pp. 1927-1936